

TransduceIT™ Reagent

Product Data Sheet

Product information for MIR 6620
SDS and Certificate of Analysis available at mirusbio.com/6620



SPECIFICATIONS

Storage	Store <i>TransduceIT™</i> Reagent at -20°C.
Product Guarantee	6 months from date of purchase, when properly stored and handled.
Concentration	10 mg/ml

Product Description: *TransduceIT™* Reagent is an aqueous solution of hexadimethrine bromide, a cationic polymer, that is shown to greatly enhance retroviral transduction and transgene expression in both dividing and quiescent mammalian cells. Final *TransduceIT™* Reagent concentrations of 5—10 µg/ml are appropriate for most transductions, although the optimal concentration for each cell type should be empirically determined.

Product Usage: Dilute *TransduceIT™* Reagent to an appropriate working concentration (2X) in pre-warmed complete growth medium (e.g. 10—20 µg/ml) immediately prior to retroviral transduction of target cells. Remove half the growth media from wells containing cells and replace with an equal volume of the *TransduceIT™* working stock for a final concentration of 5—10 µg/ml transduction reagent per well. Add the necessary volume of retroviral particles containing a gene of interest (GOI) to cells immediately thereafter. Gene expression should be measured 24-72 hours post-transduction.

Product Size: 1.0 ml at 10 mg/ml (in sterile H₂O)

Form/Appearance: Clear liquid

Molecular Weight: 374.2 g/mol

CAS Number: 28728-55-4

Precautions: Review the product specific Safety Data Sheet (SDS) for additional information prior to handling this product.

For Research Use Only

► NOTES



SDS and Certificate of Analysis available at mirusbio.com/6620

©1996-2024 All rights reserved. Mirus Bio LLC. All trademarks are the property of their respective owners.
For terms and conditions, visit www.mirusbio.com

Rev.A 1216

Mirus Bio LLC

www.mirusbio.com | techsupport@mirusbio.com | Toll Free (U.S.): 844.MIRUSBIO | Direct: +1.608.441.2852